



# A Glimpse *of* Extraordinary & Innovative Product



Expertise Since 1982

**Safety First**

New Innovation, New Technology

CATALOGUE CUM-PRICE  
GUIDE W.E.F. 1ST OCT., 2019



**BIOCON**  
LED LIGHTING



## Introduction

Biocon is a leading electrical and Lighting company expertise since 1982, we have been serving the market since many years, we serve market in all lighting areas.

### Residential

If there is anything that can appreciably alter your lighting experience and feel of your home, it's LED Lighting by Biocon. Bright light for study or reading corners. Warm light for living and dining. Soft light for your kitchen. Set the right moods with Biocon LED lights.

### Commercial

To utilise energy in an efficient manner and to improve productivity, there is a need of distinct LED lighting solutions for Commercial buildings, Healthcare segments, Educational facilities, Hotels and Resorts, Bay areas and Workplace. Warm lighting for its reception, versatile lighting for board room and any other area you choose to illuminate. Experience Biocon LED lights for your every need and feel the difference.

### Industrial

Increase energy efficiency with Biocon LED lights. Every Industry needs different lighting infrastructure for proficient working. Hence the need for good quality and uniform lighting for its various needs like shop floor, warehouse, quality labs, stores, bay areas, workplace.

### Outdoor

Make public areas safer with Biocon LED Lights. Durable lights for Long term maintenance free use. Clear, high contrast light for night-time visibility. Choose from the wide range of our products to suit your different needs.

### FEW WORDS FROM THE COMPANY...

Dear Customers, In order to propose more sustainable solutions and meet your needs and expectations, ranging from the most basic right up to the most complex, This catalogue contains all the lighting products of the brand BIOCON. Ever since the creation of our production site we have intensified our industrialization operations and confirm our commitment to offer more products. We are proud to present some of our products manufactured with special design in this catalogue.

This change has enabled us to pay even more attention to the quality of our products, with increased availability and modularity To suit customer requirements. Finally, more than ever BIOCON's aim is to provide you with more than just light. Our ZYRO, TWISTER, DISCO, BIO, B-ROTATE & ANTIQUE access solution through light is manufactured with quality control and solutions. Let's work together to create a more innovative, brighter world !

### BIOCON TEAM

### TERMS & CONDITIONS :-

1. Rate are subject to change without prior notice.
2. All taxes are extra as applicable.
3. Goods will be supplied according to stock position.
4. Subject to Bangalore Jurisdiction only.
5. No Replacement for burning switchgear products.
6. All wattage may be differ  $\pm$  8-10% based on heating capacity.

[www.facebook.com/biocon](http://www.facebook.com/biocon)



[www.youtube.com/biocon](http://www.youtube.com/biocon)



[www.twitter.com/biocon](http://www.twitter.com/biocon)



#### ESTEEMED CLIENTS



#### TECHNOLOGY PARTNERS





**BIOCON**  
LED LIGHTING



World most  
beautiful

## Led Panel

This inbuilt is 2.5KV surge, higher lumens 80-90LM/Watt aluminium housing inside the body of the panel for better heat radiation this panel uses edison brand grade chips with new colour temperature brightness



### SLIMO LED CONCEALED PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-200	3W	RD/SQ	WH/WW/NW	>0.60	3"	>80	120°	300/-	60
B-201	6W	RD/SQ	WH/WW/NW	>0.60	4"	>80	120°	420/-	60
B-202	10W	RD/SQ	WH/WW/NW	>0.95	5"	>80	120°	560/-	40
B-203	15W	RD/SQ	WH/WW/NW	>0.95	6"	>80	120°	725/-	30
B-204	20W	RD/SQ	WH/WW/NW	>0.95	8"	>80	120°	1140/-	20

**slimo**  
LED PANEL LIGHT

# ANTIQUE LED PANEL



Detachable  
Driver Panel



## ANTIQUE LED CONCEALED PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-205	5W	RD/SQ	WH/WW/NW	>0.60	3"	>80	120°	450/-	40
B-206	10W	RD/SQ	WH/WW/NW	>0.60	4"	>80	120°	700/-	40
B-207	15W	RD/SQ	WH/WW/NW	>0.95	6"	>80	120°	925/-	30
B-208	22W	RD/SQ	WH/WW/NW	>0.95	8"	>80	120°	1150/-	20

**B-KLIQ**  
LED CONCEALED PANEL



## B-KLIQ LED CONCEALED PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-209	4W	RD/SQ	WH/WW/NW	>0.60	2.5-3"	>80	120°	225/-	50
B-210	8W	RD/SQ	WH/WW/NW	>0.60	4"	>80	120°	325/-	40
B-211	15W	RD/SQ	WH/WW/NW	>0.95	6"	>80	120°	525/-	30
B-212	22W	RD/SQ	WH/WW/NW	>0.95	8"	>80	120°	800/-	20

“Lighting For  
Better Vision”

# INTERIO

LED PANEL LIGHT



## INTERIO 3 IN 1 COLOUR CHANGEABLE CONCEALED PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-216	6W	RD/SQ	WH/WW/NW	>0.95	4"	>80	120°	800/-	40
B-217	12W	RD/SQ	WH/WW/NW	>0.95	6"	>80	120°	1200/-	30

# INTERIO-PLUS

LED PANEL LIGHT



## INTERIO PLUS LED CONCEALED PANEL LIGHT


P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-218	4W	RD/SQ	WH/WW	>0.60	3"	>80	120°	290/-	50
B-219	8W	RD/SQ	WH/WW	>0.60	4"	>80	120°	450/-	40
B-220	15W	RD/SQ	WH/WW	>0.95	6"	>80	120°	700/-	30
B-221	22W	RD/SQ	WH/WW	>0.95	8"	>80	120°	1000/-	20
B-222	30W	SQ	WH/WW/NW	>0.95	1 x 1 Feet	>80	120°	1575/-	10
B-223	40W	SQ	WH/WW/NW	>0.95	2 x 2 Feet	>80	120°	3000/-	5

Metal Body  
For Better  
Heat Transfer

# Girgit

DOUBLE COLOR LED PANEL

“Amazing things will happen when you listen to the consumer.”



## GIRGIT DOUBLE COLOR LED CONCEALED PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-305	4+3=7W	RD	3 ACTION	>0.75	>80	3"	120°	375/-	50
B-306	7+3=10W	RD	3 ACTION	>0.75	>80	4"	120°	475/-	40
B-307	13+5=18W	RD	3 ACTION	>0.75	>80	6"	120°	875/-	30

AVAILABLE COLOURS : WH+WW | WH+BLU | WH+GRN | WH+PNK | WH+RED



## AER COB

SURFACE SERIES

## AER COB SURFACE LED LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-226	4W	WH/WW	>0.90	>80	3"	30°	430/-	100

## INTERIO

# COB

## INTERIO LED COB DOWNLIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-237	1W	RD	WH/WW/R/G/B/PNK/NW	>0.60	28MM	>80	38°	220/-	100
B-238	3W	RD/SQ	WH/WW	>0.60	2"	>80	38°	500/-	100
B-239	6W	RD/SQ	WH/WW	>0.95	3"	>80	38°	725/-	50
B-240	9W	RD/SQ	WH/WW	>0.95	3"	>80	38°	950/-	50
B-241	16W	RD/SQ	WH/WW/NW	>0.95	4"	>80	38°	1275/-	20
B-242	20W	RD	WH/WW/NW	>0.95	6"	>80	38°	2250/-	20
B-243	30W	RD	WH/WW/NW	>0.95	7"	>80	38°	3000/-	20
B-244	40W	RD	WH/WW/NW	>0.95	8"	>80	38°	4000/-	10



Welcome to a brighter future

# B-TILT

MOVABLE COB



## B-TILT LED MOVABLE COB DOWNLIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-245	3W	RD	WH/WW/NW	>0.60	40MM	>80	24°	475/-	120
B-246	6W	RD	WH/WW/NW	>0.60	70 MM	>80	24°	725/-	80
B-247	9W	RD	WH/WW/NW	>0.95	70 MM	>80	24°	1020/-	80
B-248	12W	RD	WH/WW/NW	>0.95	105MM	>80	24°	1250/-	60
B-248A	30W	RD	WH/WW/NW	>0.95	145 MM	>80	60°	2000/-	20



## BUTTON

LED DOWN LIGHT

## SPOT SMD LED DOWN LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-289B	1W	WH/WW/NW/RD/BL/GR/PK	>0.90	>80	24MM	60°	120/-	200

# ROME

JUNCTION BOX COB

## ROME JUNCTION BOX COB DOWN LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE WH/WW	PRICE RD/BL/GR/PK	PKG
B-304	8W	WH/WW/RD/BL/GR/PK	>0.90	>80	75-100MM	40°	400/-	400/-	100



# B-KOBB

LED RECESSED  
DOWNLIGHT



## B-KOBB LED RECESSED DEEP DOWNLIGHT (BRIDGELUX CHIP)

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-248B	7W	WH/WW/NW	>0.95	>80	58 MM	25°	700/-	50
B-248C	12W	WH/WW/NW	>0.95	>80	75 MM	25°	1050/-	50
B-248D	18W	WH/WW/NW	>0.95	>80	90 MM	60°	1500/-	20



# FOCUS

LED ZOOM COB

## FOCUS LED ZOOM COB DOWN LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CUT SIZE	CRI	BEAM°	PRICE	PKG
B-266	10W	RD	WH/WW/NW	>0.95	85 MM	>85	40°	1700/-	50
B-267	20W	RD	WH/WW/NW	>0.95	95 MM	>85	40°	2200/-	20
B-268	30W	RD	WH/WW/NW	>0.95	120 MM	>85	40°	3300/-	10

# INTERIO

LED TRACK LIGHT

## INTERIO LED TRACK LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-263	9W	RD	WH/WW/NW	>0.95	>85	40°	1000/-	50
B-264	16W	RD	WH/WW/NW	>0.95	>85	40°	1950/-	10
B-265	30W	RD	WH/WW/NW	>0.95	>85	40°	2700/-	10



Lighting your world Delighting your heart!



# AIR

LED TRACK LIGHT



## AIR LED TRACK LIGHT (BRIDGELUX CHIP)

P. CODE	WATTAGE	SHAPE	COLOUR	BODY COLOR	PF	CRI	BEAM°	PRICE	PKG
B-265A	20W	RD	WH/WW/NW	WH/BLK	>0.95	>85	40°	1400/-	10
B-265B	30W	RD	WH/WW/NW	WH/BLK	>0.95	>85	40°	2000/-	10

# LED TRACK RAIL

P. CODE	WATTAGE	COLOUR	PRICE	PKG
B-261	1M	WH/BLK	475/-	20
B-262	2M	WH/BLK	750/-	20



# INTERIO

INTERIO WALL LIGHT

## INTERIO LED WALL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-320	3W	RD	WH/WW	>0.60	>80	40°	675/-	50
B-321	6W	RD	WH/WW	>0.60	>80	40°	875/-	20
B-322	10W	RD	WH/WW	>0.95	>80	40°	1075/-	20
B-323	16W	RD	WH/WW	>0.95	>80	40°	1975/-	10



## INTERIO LED PICTURE LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-324	3W	RD	WH/WW	>0.90	>80	40°	900/-	40


# twister

DETACHABLE LED SURFACE LIGHT



## TWISTER DETACHABLE LED SURFACE LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	SIZE	CRI	BEAM°	PRICE	PKG
B-269	8W	RD/SQ	WH/WW/NW	>0.95	100MM	>80	120°	575/-	40
B-270	15W	RD/SQ	WH/WW/NW	>0.95	140MM	>80	120°	875/-	30
B-271	24W	RD/SQ	WH/WW/NW	>0.95	180MM	>80	120°	1275/-	20



Use for  
Junction  
Box Also

**B-SliQ**  
SURFACE PANEL LIGHT



**B-SLIQ LED SURFACE LIGHT**

P. CODE	WATTAGE	SHAPE	COLOUR	PF	SIZE	CRI	BEAM°	PRICE	PKG
B-271A	8W	RD/SQ	WH/WW/NW	>0.95	120MM	>80	120°	450/-	40
B-271B	15W	RD/SQ	WH/WW/NW	>0.95	155MM	>80	120°	700/-	30
B-271C	22W	RD/SQ	WH/WW/NW	>0.95	205MM	>80	120°	975/-	20

**slimo**  
SURFACE PANEL



**SLIMO LED SURFACE LIGHT**

P. CODE	WATTAGE	SHAPE	COLOUR	PF	SIZE	CRI	BEAM°	PRICE	PKG
B-272	6W	RD/SQ	WH/WW	>0.60	85MM	>80	120°	500/-	40
B-273	12W	RD/SQ	WH/WW	>0.95	135MM	>80	120°	775/-	40
B-274	18W	RD/SQ	WH/WW	>0.95	165MM	>80	120°	1100/-	30
B-275	24W	RD/SQ	WH/WW	>0.95	205MM	>80	120°	1275/-	20

Most Slimmest Surface Panel



**B-ROTATE DETACHABLE LED SURFACE LIGHT**

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE WH/WW	PRICE RD/BL/GR/PK	PKG
B-298	8W	WH/WW/RD/BL/GR/PK	>0.90	>80	85MM	160°	420/-	420/-	100
B-299	10W	WH/WW	>0.90	>80	120MM	120°	650/-	-	60
B-300	15W	WH/WW	>0.90	>80	140MM	120°	880/-	--	40

Everything you can imagine.  
& a few that you can't.



**oval**  
BULKHEAD LED FITTING

**OVAL BULKHEAD LED SURFACE LIGHT**

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-293	9W	WH/WW	>0.60	>80	120°	425/-	50
B-293A	15W	WH/WW	>0.60	>80	120°	600/-	30

# ZYRO

DETACHABLE SURFACE LED LIGHT



## ZYRO LED DETACHABLE SURFACE LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-296	7W-A	WH/WW	>0.75	>80	80-85MM	140°	450/-	100
B-297	7W-B	WH/WW/RD/BL/GR/PK	>0.75	>80	80-85MM	140°	500/-	100

India's First  
Batten & Angle Holder  
Suitable Bulb Type LED Fitting

# Ghoemar

ROTATING ANGLE-BATTEN SERIES

India's First Light  
Fitting Replacing Angle-Batten  
Holder & Bulb



## GHOOMAR LED ROTATING ANGLE-BATTEN SERIES

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-308	9W	WH/WW	>0.90	>80	80-85MM	160°	525/-	60



**BIOCON**  
LED LIGHTING

**Girgit**

DOUBLE COLOR LED  
SURFACE PANEL

“Amazing things  
will happen  
when you listen to  
the consumer.”



## GIRGIT DOUBLE COLOR LED SURFACE PANEL LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-293B	6+4=10W	RD/SQ	3 ACTION	>0.75	>80	120°	575/-	40
B-293C	10+8=18W	RD/SQ	3 ACTION	>0.75	>80	120°	950/-	20

AVAILABLE COLOURS : WH+WW | WH+BLU | WH+GRN | WH+PNK | WH+RED



**BIOCON**  
LED LIGHTING

**Magnet**  
CABINET SURFACE

**STRIKER** LED CABINET SURFACE LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-225	5W	WH/WW/RD/BL/GR/PK	>0.75	>80	62 MM	120°	250/-	200

**STRIKER**  
CABINET SURFACE



**MAGNET** LED CABINET SURFACE LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-224	3W	WH/WW/RD/BL/GR/PK	>0.75	>80	2.5"	120°	200/-	200

# LED STREET LIGHT

Step out in the night without fear



AIR LED STREET LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-249	15W	WH	>0.95	>80	120°	1400/-	20
B-250	24W	WH	>0.95	>80	120°	1800/-	20
B-251	36W	WH	>0.95	>80	120°	2200/-	20
B-252	50W	WH	>0.95	>80	120°	2800/-	10
B-253	100W	WH	>0.95	>80	120°	7000/-	5



AIR LED FLOOD LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE WH/WW	PRICE RD/BL/GR	AIR PKG	BUTTON PKG
B-254	10W	WH/WW/RD/BL/GR	>0.75	>80	120°	800/-	1100/-	20	25
B-255	20W	WH/WW/RD/BL/GR	>0.95	>80	120°	1500/-	1750/-	10	15
B-256	30W	WH/WW/RD/BL/GR	>0.95	>80	120°	1800/-	2300/-	10	10
B-257	50W	WH/WW/RD/BL/GR	>0.95	>80	120°	2400/-	2800/-	8	10
B-258	100W	WH/WW	>0.95	>80	120°	3900/-	-	4	4
B-259	150W	WH	>0.95	>80	120°	6000/-	-	2	2
B-260	200W	WH	>0.95	>80	120°	10000/-	--	2	2

India's First  
High Voltage  
Resistance Flood Light



# LENSO STREET LIGHT



## LENSO STREET LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-253A	24W	WH	>0.95	>80	120°	1650/-	20
B-253B	36W	WH	>0.95	>80	120°	2000/-	20
B-253C	50W	WH	>0.95	>80	120°	2700/-	20
B-253D	100W	WH	>0.95	>80	120°	5800/-	10

## LENSO LED FLOOD LIGHT



## LENSO FLOOD LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-260A	30W	WH/WW	>0.95	>80	120°	2050/-	20
B-260B	50W	WH/WW	>0.95	>80	120°	2600/-	10
B-260C	100W	WH/WW	>0.95	>80	120°	4500/-	5
B-260D	150W	WH	>0.95	>80	120°	6800/-	5
B-260E	200W	WH	>0.95	>80	120°	8500/-	5
B-260F	400W	WH	>0.95	>80	120°	18000/-	2

A New Solution  
for tomorrow's  
evolution

# SPARKLE LED STRIP LIGHT

Bright Spark  
light more, pay less

## SPARKLE 5050-60 LED STRIP LIGHT (IP-20)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PF	PRICE PER MTRS.	PKG
B-276	12V	5050	WH/WW/RD/BL/GR	5 MTRS.	>0.90	125/-	250 MTR
B-277	12V	5050	PINK/NW	5 MTRS.	>0.90	135/-	250 MTR

## SPARKLE 2835-120 PROFILE LED STRIP LIGHT (IP-20)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PF	PRICE PER MTRS.	PKG
B-277A	12V	2835	WH/WW/NW	5 MTRS.	>0.90	165/-	250 MTR

## SPARKLE 2835-240 PROFILE LED STRIP LIGHT (IP-20)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PF	PRICE PER MTRS.	PKG
B-277B	12V	2835	WH/WW/NW	5 MTRS.	>0.90	300/-	250 MTR



## Light Smart

Illuminate your world with long lasting economical & environment friendly products for a brighter future.

## B-CONNECT 5050-60 LED STRIP LIGHT (IP-20)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PRICE PER MTRS.	PKG PER CTN
B-278	12V	5050	WH/WW/RD/BL/GR/PK	5 MTRS.	85/-	500 MTR



Never-ending style.  
In multiple  
colours.



### B-TREE - SMD LED ROPE LIGHT (IP-66)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PRICE PER ROLL	PKG PER ROLL
B-279	220V	3014	WH/WW/RD/BL/GR/PNK	90 MTRS.	7500/-	1 ROLL

### B-CONNECT - SMD LED ROPE LIGHT (IP-66)

P. CODE	VOLTAGE	MODEL	COLOUR	MTR ON REEL	PRICE PER ROLL	PKG PER ROLL
B-280	220V	2835	WH/WW	80 MTRS.	5400/-	1 ROLL
B-281	220V	2835	RD/BL/GR/PNK	80 MTRS.	5900/-	1 ROLL

B-281A	ROPE LIGHT CONNECTOR				60/- Per Pc.	
--------	----------------------	--	--	--	--------------	--

### METALINO LED STRIP METAL DRIVER

P. CODE	POWER	INPUT VOLTAGE	IP CODE	PRICE	PKG
B-282	2 AMPS	AC 85-265 V	IP 20	375/-	200
B-283	5 AMPS	AC 85-265 V	IP 20	525/-	100
B-284	10 AMPS	AC 85-265 V	IP 20	875/-	60
B-285	20 AMPS	AC 110-220 V	IP 20	1600/-	20

ONE YEAR WARRANTY



### TECHNO LED STRIP DRIVER

P. CODE	POWER	INPUT VOLTAGE	IP CODE	PRICE	PKG
B-286	2 AMPS	AC 110-220 V	IP 20	190/-	48
B-287	5 AMPS	AC 110-220 V	IP 20	400/-	24
B-288	10 AMPS	AC 110-220 V	IP 20	975/-	18

ONE YEAR WARRANTY





**CAIRO**

**CAIRO LED RECESSED DOWNLIGHT**

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-289A	3W	WH/WW/RD/BL/GR/PK	>0.75	>80	38-55MM	120°	140/-	200

**RIO**

**RIO LED RECESSED DOWNLIGHT**

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-291	4W	WH/WW/RD/BL/GR/PK	>0.60	>80	38-60MM	120°	210/-	200



**BORA-BORA**

**BORA BORA LED RECESSED DOWNLIGHT**

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-292	5W	WH/WW/RD/BL/GR/PK	>0.60	>80	38-58MM	120°	220/-	100





# TOKYO

## TOKYO LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-289	7W	WH/WW/RD/BL/GR/PK	>0.75	>80	75-100MM	120°	200/-	100

# VEGAS

## VEGAS LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-290	6W	WH/WW/RD/BL/GR/PK	>0.75	>80	75-100MM	120°	300/-	100




# KIEV

JUNCTION BOX FITTING

## KIEV LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-291A	8W	WH/WW/RD/BL/GR/PK	>0.90	>80	70-100MM	120°	250/-	100



## UFO LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-330	15W	WH/WW/RD/GR/BL/PNK	>0.95	>80	38-100MM	120°	600/-	50
B-331	15W (B-22)	WH	>0.95	>80	--	120°	700/-	50
B-332	15W (3 IN 1)	WH+WW/WH+RD WH+BL/WH+GR/WH+PK	>0.95	>80	38-100MM	120°	775/-	50

## DISCO DOWNLIGHT

### DISCO LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE WH/WW/BL/GR/PK	PKG
B-301	6+4W=10W	WH+WW   WH+RED WH+GRN   WH+BLU WH+PNK	>0.90	>80	75-100MM	120°	425/-	50



## BIO LED RECESSED DOWNLIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-302	8W	WH/WW/RD/BL/GR/PK	>0.75	>80	75-100MM	120°	300/-	100



## BIO PLUS LED RECESSED DOWNLIGHT

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-303	8W	WH+WW+NW/GR+BL+SBLU	>0.90	>80	75-100MM	120°	425/-	100



## Mushroom PLUS

## MUSHROOM PLUS LED RECESSED DOWNLIGHT

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-294	7+7W	WH+WW/WH+RD/WH+BL/WH+GR/WH+PK	>0.75	>80	46MM	140°	400/-	100

## MUSHROOM LED RECESSED DOWNLIGHT

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE WH/WW	PRICE RD/BL/GR/PK	PKG
B-295	8W	WH/WW/RD/BL/GR/PK	>0.75	>80	46MM	140°	320/-	320/-	100


## MUSHROOM MAX LED RECESSED DOWNLIGHT

P.CODE	WATTAGE	COLOUR	PF	CRI	CUT SIZE	BEAM°	PRICE	PKG
B-295A	10W	WH/WW/RD/BL/GR/PK	>0.75	>80	46MM	140°	375/-	100



# LED-Tubelights

T5 | T8 | T9



1W Night Lamp

Aluminium Profile



## LED TUBE LIGHT T5 | T8 | T9

P. CODE	WATTAGE	MODEL	SIZE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-227	5W	TEXAS	1 Feet	WH/WW	>0.60	>80	120°	250/-	30
B-228	10W	TEXAS	2 Feet	WH/WW	>0.60	>80	120°	300/-	30
B-229	22W	TEXAS	4 Feet	WH/WW	>0.95	>80	120°	350/-	30
B-230	22W	TWENTY 2	4 Feet	WH/WW	>0.95	>80	120°	350/-	30
B-231	20W	SLIMO	4 Feet	BLUE	>0.95	>80	120°	600/-	30
B-232	36W	BULLET	4 Feet	WH	>0.95	>80	120°	850/-	18
B-233	36W	ANTIQU	4 Feet	WH	>0.95	>80	120°	1450/-	18
B-234	6W	B-SQUARE	1 Feet	WH/WW	>0.60	>80	120°	300/-	25
B-235	12W	B-SQUARE	2 Feet	WH/WW	>0.60	>80	120°	340/-	25
B-236	24W	B-SQUARE	4 Feet	WH/WW	>0.95	>80	120°	460/-	25
B-236A	28W	T6 METALIC	4 Feet	WH	>0.95	>80	120°	500/-	25
B-236B	36W	T8 SKYEE	4 Feet	WH	>0.95	>80	120°	800/-	25

India's First

Night lamp Tube light  
With Both Side Cap  
Fitted with Lamp



# India's Biggest High Beam Angle Bulb



## 270° LED BULB

P.CODE	WATTAGE	COLOUR	CRI	BEAM°	PRICE WH/WW	PKG
B-309	0.5	WH/WW/RD/BL/GR/PN	>80	180°	60/-	120
B-310	5W	WH/WW	>80	270°	140/-	100
B-311	7W	WH/WW	>80	270°	142/-	100
B-312	9W	WH/WW	>80	270°	144/-	100
B-313	12W	WH	>80	270°	240/-	100
B-314	15W	WH	>80	270°	300/-	50
B-315	18W	WH	>80	270°	450/-	50

## NIGHT RIDER EMERGENCY Rechargeable Bulb

P.CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE WH/WW	PKG
B-316	9W	WH	>0.90	>80	180°	760/-	50



## jumbo LED BULB

P.CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-317	30W	WH	>0.90	>80	180°	600/-	30
B-318	40W	WH	>0.90	>80	180°	800/-	30
B-319	50W	WH	>0.90	>80	180°	1000/-	20



# INTERIO

MIRROR LIGHT

## INTERIO LED MIRROR LIGHT

Colour  
Changeable

3 in 1

Led Mirror Light

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	SIZE	BEAM°	PRICE	PKG
B-325	9W	RD	WH+WW+NW	>0.70	>80	1 FEET	120°	1250/-	20

## SPIKE

GARDEN LIGHT

P. CODE	WATTAGE	SHAPE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-326	4W	RD	WH/WW/GR/BL/RD	>0.75	>80	40°	600/-	50
B-327	6W	RD	WH/WW/GR/BL/RD	>0.75	>80	40°	800/-	50
B-328	10W	RD	WH/WW/GR/BL/RD	>0.75	>80	40°	1250/-	50



## B-Hang

ADVANCE  
READING LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	PRICE	PKG
B-329	12W	WW/WH	>0.95	>80	120°	250/-	50

Fitting With Multi Angle Rotation

INTRODUCING  
the all new



**BIOCON**  
LED LIGHTING



LED  
OUTDOOR  
WALL LIGHT



# H-KAY-6

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-333	1X6W=6W	WW	>0.60	>80	90°	IP-54	850/-	30

(BRIDGELUX CHIP)



# H-KAY-8


LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-334	2X4W=8W	WW	>0.60	>80	90°	IP-54	950/-	30

(BRIDGELUX CHIP)


# ROUND-0-6

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-335	1X6W=6W	WW	>0.60	>80	38°	IP-54	1075/-	30

(BRIDGELUX CHIP)



# ROUND-0-12

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-336	2X6W=12W	WW	>0.60	>80	38°	IP-54	1700/-	30

(BRIDGELUX CHIP)

# WAVE-6

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-337	2X3W=6W	WW	>0.60	>80	10°+120°	IP-54	1600/-	20

(BRIDGELUX CHIP)



# B-LIGHT-1

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-338	1X2W=2W	WW	>0.60	>80	45°	IP-54	850/-	30

(BRIDGELUX CHIP)

# B-LIGHT-2

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-339	2X2W=4W	WW	>0.60	>80	45°	IP-54	1250/-	30

(BRIDGELUX CHIP)



# B-LIGHT-3

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-340	3X2W=6W	WW	>0.60	>80	45°	IP-54	1900/-	20

(BRIDGELUX CHIP)

# I-BALL-4

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-341	4X1W=4W	WW	>0.60	>80	45°	IP-54	1600/-	20

(BRIDGELUX CHIP)



# B-BALL-12

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-342	4X3W=12W	WW	>0.60	>80	60°	IP-54	1900/-	20

(BRIDGELUX CHIP)

# TRIANGLE

LED OUTDOOR WALL LIGHT



P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-343	3X3W=9W	WW	>0.60	>80	120°	IP-54	2500/-	20

(BRIDGELUX CHIP)



# FLAT

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-344	2X2W=4W	WW	>0.60	>80	120°	IP-54	1300/-	30
B-345	2X4W=8W	WW	>0.60	>80	120°	IP-54	1700/-	20

(BRIDGELUX CHIP)



# CURVE

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-346	12W	WW	>0.60	>80	120°	IP-54	1250/-	20

(BRIDGELUX CHIP)

# STRAP

LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-347	12W	WW	>0.60	>80	120°	IP-54	1150/-	20

(BRIDGELUX CHIP)



# LINER





LED OUTDOOR WALL LIGHT

P. CODE	WATTAGE	COLOUR	PF	CRI	BEAM°	SAFETY TYPE	PRICE	PKG
B-348	12W	WW	>0.60	>80	120°	IP-54	1350/-	20

(BRIDGELUX CHIP)



# COMING SOON



## BIOCON ELECTRIC (P) LIMITED

### OFFICES

#### DELHI

4/24/1A, J.R. Complex No. 4,  
Mandoli Main Road,  
Trans Yamuna-110093 (INDIA)  
Customer Care Ph. No. : +91-9311204018  
E : bioconoffice1@gmail.com

#### MUMBAI

12, VK Industrial Complex Bilal Pada,  
Vasai East-401208  
Suburban, Mumbai (INDIA)  
Customer Care Ph. No. +91-7666804022  
E : bioconoffice@gmail.com

#### BANGALORE

No. 234, 2nd Floor, Above Hotel Vijay Vihar,  
Garudachar Complex, Chickpet,  
Bangalore-560053 (INDIA)  
Customer Care Ph. No. +91-7022114411  
E : bioconoffice@gmail.com

### R & D CENTRE

#### CHINA

Zhongshan City  
Guangdong Province ,  
China

### NETWORKS

#### OFFICES

#### SHOWROOMS

#### DISPLAY CENTRE

Karnataka, Tamil Nadu, Telangana, Andhra Pradesh, Kerala, Rajasthan , Gujarat , MP , Chhattisgarh, Maharashtra , Punjab ,  
Haryana, U.P, Bihar, Jammu and Kashmir , West Bengal , Odisha , H.P, U.K, Jharkhand, North East.

[www.bioconelectric.in](http://www.bioconelectric.in)